#### **Gluteus Medius/Minimus Rehabilitation Protocol**

### PHASE 1: INITIAL PHASE

Week 1

- Ankle pumps
- Glut sets
- Quad sets
- ☐ Hamstring sets
- □ Adductor isometrics
- Heel slides
- Pelvic tilts
- Double leg bridges
- □ Seated knee extensions
- $\Box$  Prone on elbows  $\rightarrow$  Press-ups for Iliopsoas and Abdominal stretch (avoid low back pain)
- $\Box$  Prone knee flexion  $\rightarrow$  prone on elbows with knee flexion
- □ Standing hip flexion and extension (depending on comfort level) hip exercises without resistance
- $\Box$  Hip mobilization (grade I) PRN for pain relief

### Week 2

Continue with previous exercises, but may add:

- $\Box$  Supine marching with PPT (90 degrees)
- $\Box$  Modified dead bug with PPT (90 degrees)
- $\Box$  Superman in prone on a pillow
- □ Supine hamstring stretches with a belt
- □ Supine Iliopsoas/Rectus Femoris stretch with involved leg off of table as tolerated
- □ Stationary bike without resistance
- □ Standing 2 way hip exercises with Theraband resistance start very low resistance

### Week 3

Continue with previous exercises, but may add:

- $\hfill\square$  Leg raises extension and flexion
- □ Seated physioball progression of hip flexion
- $\Box$  Active range of motion with gradual end range stretch within tolerance

Patient may progress to Phase 2 when they have achieved the following: minimal pain with phase 1 exercises, 90 degrees of pain free flexion, minimal range of motion limitations with internal rotation/extension/abduction.

# PHASE 2: INTERMEDIATE PHASE

### Weeks 4-6

Continue with previous or modified versions of previous exercises, but may add:

- Crunches
- $\Box$  Double leg bridges on the ball
- □ Gradually increase resistance with stationary bike
- □ Standing adduction with theraband resistance
- □ Aquatic exercises- flutter kick, swimming, 4 way hip with water weights as tolerated, step ups
- □ Superman in quadruped
- $\Box$  Single leg bridges as tolerated

Patient may progress to Phase 3 when they have achieved the following: 105 degrees of flexion, 20 degrees of ER, hip flexion strength >60% uninvolved side, adduction/IR/extension/ER strength 70% uninvolved side, pain free with phase 2 exercises

# PHASE 3: ADVANCED PHASE

Week 7

Continue with previous or modified versions of previous exercises, but may add:

- □ Log rolling
- Calf Raises
- □ Physioball exercises hip lift, bent knee hip lift, hamstring curls, balance

### Week 8

Continue with previous or modified versions of previous exercises, but may add:

- ☐ Mini squats
- □ Leg press (start with minimal resistance and increase by patient tolerance)
- Step-Up
- $\Box$  Side stepping over cones
- □ Core strengthening on physioball
- □ Abduction isometrics- minimal resistance without pain

### Week 9

Continue with previous or modified versions of previous exercises, but may add:

- $\hfill\square$  Standing abduction without resistance
- Elliptical
- Seated IR/ER
- Clamshells

Week 10

Continue with previous or modified versions of previous exercises, but may add:

- □ Sidelying abduction without resistance as tolerated (instead of standing)
- □ Single leg balance
- □ Abduction and adduction leg raise
- □ BOSU squats

Patient may progress to Phase 4 when they have achieved the following: gluteus medius strength 60-70%, patient can perform phase 3 exercises without pain, pain-free, normal gait pattern.

# PHASE 4: SPORTS SPECIFIC REHAB CLINIC BASED PROGRESSION

### Weeks 11-15

Continue with previous or modified versions of previous exercises, but may add:

- $\hfill\square$  Standing abduction with Theraband resistance as tolerated without pain
- □ Pool running
- □ Lateral step ups
- □ Elliptical
- □ Step drills, quick feet step ups, forward, lateral, carioca
- □ Plyometrics double leg and single leg shuttle jumps

□ Theraband walking patterns 1 rep of six exercises at 50 yards – forward, sidestepping, carioca, monster steps, backward, half circles.

- $\Box$  Sidestepping with resistance can use sports cord
- □ Single leg body squats
- □ Lunges from single plane to tri-planar; add medicine balls for resistance
- □ Sport specific training

Patient may progress to final phase when they have achieved the following: single leg mini squat with a level pelvis, can perform phase 4 exercises with proper body mechanics and without pain.

# FINAL PHASE

Weeks 16+

Continue with previous or modified versions of previous exercises, but may add:

- □ Running progression
- □ Sport specific drills
- □ Traditional weight training
- □ Plyometric training

### Criteria for full return to sport:

- □ Full range of motion
- $\hfill\square$  Hip strength equal to uninvolved side; single leg pick-up with level pelvis
- □ Ability to perform sport-specific drills at full speed without pain
- □ Completion of functional sports test
- □ Restore full gluteus medius strength before higher level activities are added